

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	131	((screw or helical) adj3 compressor) and (((thrust or angular) adj3 bearing) same (inlet or input or "low pressure" or suction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/18 08:35
L2	19	((screw or helical) adj3 compressor) and (((angular) adj3 bearing) same (inlet or input or "low pressure" or suction)) and thrust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/18 08:47
L3	36	(compressor) and (((angular) adj3 bearing) same (inlet or input or "low pressure" or suction)) and thrust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/18 08:55
L4	406	(compressor) and ((angular) adj3 bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/18 08:54
L5	186	4 and (inlet or input or "low pressure" or suction) and thrust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/18 08:55
L6	181	5 and (outlet or output or "high pressure" or discharge) and thrust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/18 09:14
L7	3	"11210653"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/18 09:15
L8	134	(TSUBOI-NOBORU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/18 09:25
L9	36	"2325617"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/18 09:25

L10	8	("2325617").URPN.	USPAT	OR	ON	2005/05/18 09:27
S8	8	(angular adj ball adj bearing) and (((thrust or positive) adj direction) same ((negative or reverse) adj direction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 13:18
S9	1	(384/453.ccls.) and (angular adj ball adj bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 12:52
S10	4	(384/504.ccls.) and (angular adj ball adj bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 13:01
S11	30	("0967520" "1199577" "1379945" "1467378" "1589415" "1964420" "2001566" "2355723" "2654645" "2692805" "2969680" "3068480" "3651550" "4091687" "4629261" "5310268" "5739607" "5747907").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/17 12:56
S12	3	(384/609.ccls.) and (angular adj ball adj bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 13:03
S13	1	(384/613.ccls.) and (angular adj ball adj bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 13:24
S14	2	("5009583" "5273413").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/17 13:10
S15	1	"5009583".PN.	USPAT; USOCR	OR	ON	2005/05/17 13:11
S16	5	("2733967" "4227755" "4730995" "5009583").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/17 13:12
S17	1393	(bearing) and (((thrust or positive) adj direction) same ((negative or reverse) adj direction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 13:19

S18	73	S17 and (thrust adj bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 13:22
S19	94	S17 and ((thrust or angular) adj3 bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 13:22
S20	277	(((384/453,504,609,613).ccls.) or (418/201.1.ccls.)) and ((thrust or angular) adj3 bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 13:26
S21	14	S20 and (thrust same reverse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 13:51
S22	302	((screw or helical) adj3 compressor) and ((thrust or angular) adj3 bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 13:52
S23	140	((screw or helical) adj3 compressor) and (((thrust or angular) adj3 bearing) same (outlet or discharge or output or "high pressure" or delivery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/18 08:34
S24	130	S23 and (inlet or suction or input or "low pressure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:07
S25	17	"3307777"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:06
S26	21	"3535057"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:00

S27	416	((screw or helical) adj compressor) and (bearing with (lubricating or lubricate or lubricat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:32
S28	184287	"203" and (inlet or suction or input or "low pressure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:07
S29	189	S27 and ((inlet or suction or input or "low pressure") with bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:07
S30	77	S27 and ((inlet or suction or input or "low pressure") with (lubricat\$3 near3 bearing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:08
S31	10	("1698802" "2082412" "2111883" "3462072" "3932073" "4180089").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/17 17:29
S32	6	((screw or helical) adj compressor) and ((space or recess or recesses or gap) with (bearing adj case))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:33